

UNI SVC 48 KW

TECHNICAL FEATURES

SOCKETS Socket-1* (Steam + Vacuum + Detergent) Socket-2 (Steam Only) Socket-3 (Steam Only) SOCKET CAPACITY (MAX) Socket-1 Socket-2 Socket-3 **OTHER FEATURES Steam Production** Colour **Control System** Start Up Time **Cabin Temperature Control** Cabin Cooling (Double Fan) Automatic Filling System Automatic Filling System From Water Supply Water Tank Capacity (Liter) Detergent Tank Capacity (Liter) Waste Water Tank Capacity (Liter) Boiler Material (AISI 304) **Boiler Volume (Liter)** Voltage **Boiler Power Boiler Pressure - Temperature Boiler Temperature Regulation** Pressure indicator Weight (Machine Only) Package Weight Vacuum Equipment Weight Vacuum Power Alert Signal Dimensions (without vacuum equipment) WxLxH (mm) 660x930x1010 Dimensions (with vacuum equipment) WxLxH (mm) Power Cable Lenght Certification

Socket-1*: Vacuum feature is integrated with the SVC 4.2 and SVC 9-18 models. On SVC 27-48 models vacuum feature is optional and can be added to the machines externally.

SVC 48

Steam + Detergent Optional

610 gr/min 610 gr/min 1220 gr/min

1250 gr/min Stainless Steel PLC (Touch Screen) 5 min 30 L 8 L 35 L \checkmark 18.4 L 380-400 V 48 kW 10 Bar - 185 C° \checkmark \checkmark 118 kg <u>60 kg</u> 17.2 kg 3600 Ŵ \checkmark 660x930x1550 Optional ĊĖ





CONTACT

info@afcmachine.com +90 539 316 01 39 afcmachine.com

STANDARD ACCESSORIES

Steam - Vacuum Hose







2 Extension Pipe













CONTACT US

info@afcmachine.com

+90 539 316 01 39 afcmachine.com

STANDARD ACCESSORIES

Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (40 cm)





Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (30 cm)



Glass, Mirror and Seat Steam/Vacuum Apparatus (20 cm)




CONTACT US

info@afcmachine.com

+90 539 316 01 39 afcmachine.com

OPTIONAL ACCESSORIES



info@afcmachine.com

CONTACT US

+90 539 316 01 39 afcmachine.com