

# UNI SVC 27 KW

**TECHNICAL FEATURES** SOCKETS Socket-1\* (Steam + Vacuum + Detergent) Socket-2 (Steam Only) Socket-3 (Steam Only) SOCKET CAPACITY (MAX) Socket-1 Socket-2 Socket-3 **OTHER FEATURES Steam Production** Colour **Control System** Start Up Time **Cabin Temperature Control** Cabin Cooling (Double Fan) Automatic Filling System Automatic Filling System From Water Supply Water Tank Capacity (Liter) Detergent Tank Capacity (Liter) Waste Water Tank Capacity (Liter) Boiler Material (AISI 304) **Boiler Volume (Liter)** Voltage **Boiler Power Boiler Pressure - Temperature Boiler Temperature Regulation** Pressure indicator Weight (Machine Only) Package Weight Vacuum Equipment Weight Vacuum Power Alert Signal Dimensions (without vacuum equipment) WxLxH (mm) 660x930x1010 Dimensions (with vacuum equipment) WxLxH (mm) Power Cable Lenght

Certification

SVC 27

Steam + Detergent

325 gr/min 325 gr/min 670 gr/min

Optional

700 gr/min Stainless Steel PLC (Touch Screen) 5 min 30 L 8 L 35 L  $\checkmark$ 14.2 L 380-400 V 27 kW 10 Bar - 185 C°  $\checkmark$  $\checkmark$ 118 kg <u>60 kg</u> 17.2 kg 3600 Ŵ  $\checkmark$ 660x930x1550 Optional ĊĖ

 $(\bigcirc)$ 



#### CONTACT

info@afcmachine.com +90 539 316 01 39 afcmachine.com

Socket-1\*: Vacuum feature is integrated with the SVC 4.2 and SVC 9-18 models. On SVC 27-48 models vacuum feature is optional and can be added to the machines externally.

## **STANDARD ACCESSORIES**

Steam - Vacuum Hose







### 2 Extension Pipe













**CONTACT US** 

info@afcmachine.com

**+90 539 316 01 39** afcmachine.com

## **STANDARD ACCESSORIES**

Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (40 cm)





Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (30 cm)



Glass, Mirror and Seat Steam/Vacuum Apparatus (20 cm)




**CONTACT US** 

info@afcmachine.com

**+90 539 316 01 39** afcmachine.com

## **OPTIONAL ACCESSORIES**



info@afcmachine.com

**CONTACT US** 

**+90 539 316 01 39** afcmachine.com