

UNI SVC 4.2 KW

TECHNICAL LATORES	376 4.2
SOCKETS	
Socket-1* (Steam + Vacuum + Detergent)	\checkmark
Socket-2 (Steam Only)	\checkmark
Socket-3 (Steam Only)	
SOCKET CAPACITY (MAX)	
Socket-1	80-110 gr/min
Socket-2	80-110 gr/min
Socket-3	
OTHER FEATURES	
Steam Production	110 gr/min
Colour	Stainless Steel
Control System	PLC
Start Up Time	5 min
Cabin Temperature Control	\checkmark
Cabin Cooling (Double Fan)	\checkmark
Automatic Filling System	\checkmark
Automatic Filling System From Water Supply	
Water Tank Capacity (Liter)	12 L
Detergent Tank Capacity (Liter)	3 L
Waste Water Tank Capacity (Liter)	18 L
Boiler Material (AISI 304)	\checkmark
Boiler Volume (Liter)	3.7 L
Voltage	230-250 V
Boiler Power	4.2 kW
Boiler Pressure - Temperature	10 Bar - 185 C°
Boiler Temperature Regulation	\checkmark
Pressure indicator	\checkmark
Weight (Machine Only)	35 kg
Vacuum Equipment Weight	8 kg
Vacuum Power	1200 W
Alert Signal	\checkmark
Dimensions (without vacuum equipment) WxLxH (mm)	490x650x770
Dimensions (with vacuum equipment) WxLxH (mm)	490x650x1300
	Ē

Socket-1*: Vacuum feature is integrated with the SVC 4.2 and SVC 9-18

vacuum feature is optional and can be added to the machines externally.

5 m.

CE

Power Cable Lenght

models. On SVC 27-48 models

Certification





CONTACT

info@afcmachine.com +90 539 316 01 39 afcmachine.com

STANDARD ACCESSORIES

Steam - Vacuum Hose







2 Extension Pipe



Jet Nozzle







Brass Brush Set (for stubborn dirt)



STANDARD ACCESSORIES

Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (40 cm)







Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (30 cm)



Glass, Mirror and Seat Steam/Vacuum Apparatus (20 cm)









OPTIONAL ACCESSORIES

Rotating Nozzle Steam Hose and Gun









Industrial Steam Nozzle Options:

- 90 cm Industrial Steam Nozzle
- 70 cm Industrial Steam Nozzle
- 50 cm Industrial Steam Nozzle







40 cm Automatic Mop Apparatus

















Plastic, Brass and Steel Brush Category









