

UNI SVC **9 KW**

TECHNICAL FEATURES

SOCKETS Socket-1* (Steam + Vacuum + Detergent) Socket-2 (Steam Only) Socket-3 (Steam Only) SOCKET CAPACITY (MAX) Socket-1 Socket-2 Socket-3 **OTHER FEATURES Steam Production** Colour **Control System** Start Up Time **Cabin Temperature Control** Cabin Cooling (Double Fan) Automatic Filling System Automatic Filling System From Water Supply Water Tank Capacity (Liter) Detergent Tank Capacity (Liter) Waste Water Tank Capacity (Liter) Boiler Material (AISI 304) **Boiler Volume (Liter)** Voltage Boiler Power **Boiler Pressure - Temperature Boiler Temperature Regulation** Pressure indicator Weight (Machine Only) Vacuum Equipment Weight Vacuum Power Alert Signal Dimensions (without vacuum equipment) WxLxH (mm) 580x830x840 Dimensions (with vacuum equipment) WxLxH (mm) Power Cable Lenght Certification

Socket-1*: Vacuum feature is integrated with the SVC 4.2 and SVC 9-18 models. On SVC 27-48 models vacuum feature is optional and can be added to the machines externally.

SVC 9

 \checkmark

230 gr/min 230 gr/min

235 gr/min Stainless Steel PLC 5 min Optional 18 L 5 L 18 L \checkmark 7.8 L 380-400 V 9 kW 10 Bar - 185 C° \checkmark \checkmark 55 kg 8 kg 1200 W 580x830x1380 5 m. CE





CONTACT

info@afcmachine.com +90 539 316 01 39 afcmachine.com

STANDARD ACCESSORIES

Steam - Vacuum Hose








2 Extension Pipe













CONTACT US

info@afcmachine.com

+90 539 316 01 39 afcmachine.com

STANDARD ACCESSORIES

Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (40 cm)





Parquet, Carpet and Wet Floor Steam/Vacuum Apparatus (30 cm)



Glass, Mirror and Seat Steam/Vacuum Apparatus (20 cm)




CONTACT US

info@afcmachine.com

+90 539 316 01 39 afcmachine.com

OPTIONAL ACCESSORIES



info@afcmachine.com

CONTACT US

+90 539 316 01 39 afcmachine.com